

Lab: _____ Date: _____

Address: _____

City: _____ State: _____ Zip: _____ Phone: _____

Patient Name / ID Number: (Required)	Tooth Number(s):
--------------------------------------	------------------

ZIRCONIA FULL CONTOUR

AllZir BruxZir

ZIRCONIA Shade: _____

Maryland Bridge Inlay/Onlay Veneers

LAVA CAD/CAM - Copings & Bridges

Thickness: .5mm (recommended)
 Other _____ (.4mm-2.0mm)

Core support: Shade: _____

ZENO CAD/CAM - Copings & Bridges

Zirconium Oxide PMMA-Resin

PRISMATIK CZ CAD/CAM - Copings & Bridges

Zirconium Oxide

LUMINESSE CAD/CAM - Copings & Bridges

Zirconium Oxide

PROCERA CAD/CAM - Copings & Bridges

.6mm Zirconia (PIB) Implant Bridge: Zirconia

Implant Brand _____
Platform Size _____

CAD/CAM Custom Abutments

Brand Atlantis 3I Remote Procera

Material Titanium Gold Hue Zirconium

Implant Brand _____
Platform Size _____

CAPTEK Porcelain to Yellow Gold-HN

Thickness: Coping Bridge or Splinted

Facial Band Porcelain Butt Margin

ClearSplint Nightguard

Notes/Special Instructions:

FOR LAB USE

Enclosed with Case:
 Working Model
 Opposing Model
 Study Model
 Bite
 Die
 Impression

of units _____

RETURN DATE: _____

Supplies:

Rx Forms Mailing Boxes Overnight Air Packs

Shipping & Payment:

Check Enclosed Check# _____ AMOUNT \$ _____
 Card on file
 New Credit Card Card# _____ EXP _____

Signature _____

Signature: _____ **Date:** _____
I verify that a signed prescription from a licensed dentist is on file for this restoration

Lab: _____ Date: _____

Address: _____

City: _____ State: _____ Zip: _____ Phone: _____

Patient Name / ID Number: (Required)	Tooth Number(s):
--------------------------------------	------------------

ZIRCONIA FULL CONTOUR

AllZir BruxZir

ZIRCONIA Shade: _____

Maryland Bridge Inlay/Onlay Veneers

LAVA CAD/CAM - Copings & Bridges

Thickness: .5mm (recommended)
 Other _____ (.4mm-2.0mm)

Core support: Shade: _____

ZENO CAD/CAM - Copings & Bridges

Zirconium Oxide PMMA-Resin

PRISMATIK CZ CAD/CAM - Copings & Bridges

Zirconium Oxide

LUMINESSE CAD/CAM - Copings & Bridges

Zirconium Oxide

PROCERA CAD/CAM - Copings & Bridges

.6mm Zirconia (PIB) Implant Bridge: Zirconia

Implant Brand _____
Platform Size _____

CAD/CAM Custom Abutments

Brand Atlantis 3I Remote Procera

Material Titanium Gold Hue Zirconium

Implant Brand _____
Platform Size _____

CAPTEK Porcelain to Yellow Gold-HN

Thickness: Coping Bridge or Splinted

Facial Band Porcelain Butt Margin

ClearSplint Nightguard

Notes/Special Instructions:

FOR LAB USE

Enclosed with Case:
 Working Model
 Opposing Model
 Study Model
 Bite
 Die
 Impression

of units _____

RETURN DATE: _____

Supplies:

Rx Forms Mailing Boxes Overnight Air Packs

Shipping & Payment:

Check Enclosed Check# _____ AMOUNT \$ _____
 Card on file
 New Credit Card Card# _____ EXP _____

Signature _____

Signature: _____ **Date:** _____
I verify that a signed prescription from a licensed dentist is on file for this restoration